

< 1998 >

- 1) Shimizu N, Kaminishi M, Tatematsu M, Tsuji E, Yoshikawa A, Yamaguchi H, Aoki F, Oohara T. Helicobacter pylori promote development of pepsinogen-altered pyloric glands, a preneoplastic lesion of glandular stomach of BALB/c mice pretreated with N-methyl-N-nitrosourea. Cancer Letter 123:63-39,1998
- 2) Nomura S, Kaminishi M, Sugiyama K, Oohara T, Esumi H. Clonal analysis of isolated intestinal metaplastic glands using X linked polymorphism. GUT 42:663-668,1998
- 3) N.Hiki, Y.Mimura. Effect of renal denervation on phosphate excretion in endotoxemic rats. Endocrine J 44-1:379-744,1998
- 4) N Hiki, Y Mimura. Atrial natriuretic peptide has no potential to protect against endotoxin-induced acute renal failure in the absence of renal nerves. Endocrine J 45-1:75-81, 1998
- 5) N Hiki, D Berger, CPE Boelke, H Wiedeck, M Seidelmann, L Staib, T Oohara, M.Kaminishi, HG Beger. Endotoxin binding and elimination by monocytes: the secretion of soluble CD14 represents an inducible mechanism counteracting reduced expression of membrane CD14 during sepsis and in a patient with paroxysmal nocturnal hemoglobinuria. Infect.Immun 66-3: 1135-1141,1998
- 6) N.Shimizu, M Kaminishi, M Tatematsu, E Tsuji, A.Yoshikawa, H Yamaguchi, F.Aoki, T.Oohara. Helicobacter pylori promotes development of pepsinogen-altered pyloric glands, a preneoplastic lesion of glandular stomach of BALB/c mice pretreated with N-methyl-N-nitrosourea. Cancer Lett 123: 63-69,1998
- 7) K Kobayashi, N Shimizu, T Tsukamoto, K Inade, H Nakanishi, K Goto, M Mutai, M.Tatematsu. Dose-dependent promoting effects of catechol on glandular stomach carcinogenesis in BALB/c mice initiated with N-methyl-N-nitrosourea. Jpn J Cancer Res 88:1143-48,1998
- 8) M Tatematsu, M Yamamoto, N.Shimizu, A Yoshikawa, H Fukami, M Kaminishi, T Oohara, A.Sugiyama, T Ikeno. Induction of glandular stomach cancers in Helicobacter pylori sensitive Mongolian gerbils treated with N-methyl-N-nitrosourea and N-methyl-N'-nitro-N-nitrosoguanidine in the drinking water. Jpn. J. Cancer Res. 89 :97-104,1998

- 9) Yamachika, H Nakanishi, K Inada, T Tsukamoto, N Shimizu, K Kobayashi, S Fukushima, M Tatematsu. N-methyl-N-nitrosourea concentration-rather than total intake-dependent induction of undifferentiated adenocarcinomas in the glandular stomach of BALB/c mice. *Jpn. J. Cancer Res.* 89: 385-391,1998
- 10) Sugiyama, F. Maruta, T. Ikeno, K. Ishida, S. Kawasaki, T. Katsuyama, N. Shimizu, M. Tatematsu. Helicobacter pylori Infection Enhances MNU (N-methyl-N-nitrosourea)-induced Stomach Carcinogenesis in the Mongolian Gerbil. *Cancer Res.* 58:2067-2069,1998
- 11) K Inada, H Nakanishi, Y Fujimitsu, N Shimizu, M Ichinose, K Miki, S Nakamura, M.Tatematsu. Gastric and intestinal mixed and solely intestinal types of intestinal metaplasia in the human stomach. *Pathology International* 47:831-841,1998
- 12) H Kanauchi, K Yamasaki, T Ogawa, Y Mimura. Endoscopic thyroidectomy in a porcine. *Endocrine J* 45:135-136,1998
- 13) H Kanauchi, . Yamasaki, T.Ogawa, Y Mimura, M Kaminishi. Endoscopic near-total thyroidectomy in a pig. *Thyroidol Clin Exp*10: 163-165, 1998
- 14) M Tatematsu, M Yamamoto,N. Shimizu, A.Yoshikawa, H Fukami, M Kaminishi , T Oohara, A Sugiyama, T Ikeno. Induction of glandular stomach cancers in Helicobacter Pylori-sensitive Mongolian gerbils treated with N-Methyl-N-nitrosourea and N-Methyl-N-nitro-N-nitrosoguanidine in drinking water. *Jpn J Cancer Res.*89:97-104,1998
- 15) A.Yoshikawa, S Kuramoto, T Mimura, K Kobayashi, S Shimoyama, H Yasuda, M Kaminishi , M Yamakawa, T Oohara, T Murakami. Peutz-Jeghers Syndrome manifesting complete intussusception of the appendix and associated with a focal cancer of the duodenum and a cystadenocarcinoma of the Pancreas .*Dis Colom Rectum* 41:517-521, 1998
- 16) N Hiki, D Berger, C Prigl, E Boelke, H Wiedeck, M Seidelmann, L Staib, M.Kaminishi, T Oohara, HG.Beger. Endotoxin binding and elimination by monocytes: secretion soluble CD14 represents an inducible mechanism counteracting reduced expression of membrane CD14 in patients with sepsis and in a patient with paroxysmal nocturnal hemoglobinuria. *Infection Immunity* 66:1135-1141,1998
- 17) S Nomura, M Kaminishi, K Sugiyama, T Oohara. Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism. *Gut* 42: 663-668,1998

- 18) S Shimoyama, T Konishi, M Kawahara, K Hojo, Y Takeda, T Nagayama. Complete response of esophageal cancer achieved by combination therapy with 5-fluorouracil, low dose cisplatin and radiation: Report of a case. *Surgery Today* 28:1163-1167,1998
- 19) S Shimoyama, T Konishi, . Kawahara, S.Araki, K Hojo, S Hamakawa, T Nagayama. A rare case of primary malignant mesothelioma originating from the rectovaginal tissue *Hepato-Gastroenterol* 45:1593-1597,1998
- 20) Y Mimura, M Kaminishi, F.G. Knox. Hypoxia blunts the hypercalcemic effect of PTH after parathyroidectomy. *Thyroidol Clin Exp* 10: 205-209,1998
- 21) Y Mimura, N Hiki, K Uno, T Nakamura, H Kanauchi, T Ogawa, J Kojima, Y Sugizaki, M Kaminishi.. Endotoxin induces hypocalcemia after thyroidectomy. *Thyroidol Clin Exp* 10: 199-203,1998
- 22) H Kanauchi, K Yamasaki, T Ogawa, . Mimura, M Kaminishi. Endoscopic thyroidectomy in a pig. *Clin Exp Thyroidol* 10:163-165,1998
- 23) Y Mimura, H Kanauchi, T.Ogawa, F Ohkura, M Kaminishi. Inappropriate elevation of intact PTH in the presence of normocalcemia after successful surgery for primary hyperparathyroidism. *Endocrine J.* 45: 609-616,1998
- 24) H Kanauchi, Y Mimura. Inhibitory effect of aldosterone on natriuresis to ANP in hypocapnic rats.*Clin Exp Pharmacol Physiol* 25: 607-611,1998
- 25) N.Hiki, Y Mimura. Atrial natriuretic peptide has no potential to protect against endotoxin-induced acute renal failure in the absence of renal nerves. *Endocrine J.* 45:75-81,1998
- 26) Tatematsu M, Yamamoto M, Shimuzu N, Yoshikawa A, Fukami H, Kaminishi M, Oohara T,Sugiyama A, Ikeno T. Induction of glandular stomach cancers in *Helicobacter pylori* sensitive Mongolian gerbils treated with N-methyl-N-nitrosourea and N-methyl-N'-nitro-N-nitrosoguanidine in the drinking water. *Jpn J Cancer Res* 89: 97-104,1998
- 27) Hiki N, Berger D, Pringl C, Boelke E, Wiedeck H, Seidelman M, Staib L, Oohara T, Kaminishi M, Beger HG. Endotoxin binding and elimination by monocytes: the secretio of soluble CD14 represents an inducible mechanism counteracting reduced expression of membrane CD14 during sepsis and in a patient with paroxysmal nocturnal hemoglobinuria. *Infec Immun* 66:1135-1141,1998

28) Shimoyama S, Konishi T, Kawahara M, Aoki F, Harada N, Shimizu N, Murakami T, Kaminishi M. Expression and alteration of p53 and p21 influence the sensitivity of chemoradiation therapy for esophageal cancer. *Hepato-gastroenterology* 45:1497-1504, 1998

29) Zang D, Shimoyama S, Kaminishi M. Feasibility of pylorus-preserving gastrectomy with a wider scope of lymphadenectomy. *Archives of Surgery* 133:993-997, 1998